

NR-1



MEDIUM VOLTAGE EQUIPMENT


NR-1

MANUAL INDOOR DRIVE

PASSION

EXPERIENCE

RELIABLE CONSTRUCTIONS






SPECIFICATION


- Durable galvanic coating;
- Easy maneuverability;
- Possibility of use with apparatus from various manufacturers;
- Mounting compatibility with NSW-40 drive;
- Adapted for padlocking in final positions;
- Possibility of retrofitting with an electromagnetic interlock;
- In combination with NR-2 drive, it allows to realize mechanical interlocking between disconnecter and earthing switch drives.


TECHNICAL DATA

No.	Parameter	Value
1.	Disconnector drive type	NR-1
2.	Earthing switch drive type	NR-2
3.	Shaft rotation angle	180 [°]
4.	Rated voltage of the interlock coil	24 [VDC] 110 [VDC] 220 [VDC] 230 [VAC]
5.	Mechanical durability	10000 cycles



DIMENSIONAL DRAWING





NOTES

CONTACT

Fabryka Aparatów Elektrycznych i Napędów Sp. z o.o.

Email: biuro@faen.com.pl

Telephone: +48 59 725 56 52

Address: ul. Dworcowa 6K, 84-351 Nowa Wieś Lęborska, Poland