

NE-3

FAEN

MEDIUM VOLTAGE EQUIPMENT


NSW-40

ELECTRICAL INDOOR DRIVE

PASSION

EXPERIENCE

RELIABLE CONSTRUCTIONS






SPECIFICATION


- Powder-coated housing;
- Easy maneuverability;
- Possibility of use with apparatus from various manufacturers;
- Adjusting the angle of rotation of the output shaft;
- Electrical diagram adapted to the customer's requirements;
- Available in several supply voltages;
- Easy replacement of manual drives.


TECHNICAL DATA

No.	Parameter	Value
1.	Rated motor voltage	24 [VDC] 110 [VDC] 220 [VDC]
2.	Max. main shaft rotation angle	210 [°]
3.	Rated torque on the shaft	150 [Nm]
4.	Max. torque on the shaft	400 [Nm]
5.	Operational time	~ 5 [sec.]
6.	Control system	TH35 rail / control box
7.	Mechanical durability	2000 cycles



DIMENSIONAL DRAWING





NOTES

CONTACT

Fabryka Aparatów Elektrycznych i Napędów Sp. z o.o.

Email: biuro@faen.com.pl

Telephone: +48 59 725 56 52

Adress: ul. Dworcowa 6K, 84-351 Nowa Wieś Lęborska, Poland